

Chemical Composition :

Tebuconazole a.i.	10.00 % w/w
Sulphur a.i.	65.00 % w/w
Potassium polycarboxylate	2.50 % w/w
Phenolsulfonic acid phenol formaldehyde urea condensate, Na salt	5.00 % w/w
Carboxy methyl cellulose	1.15 % w/w
Sodium lignosulfonate	5.50 % w/w
Polydimethyl siloxane	0.10 % w/w
China clay	Q.S. %
Total :	100.000 % W/W

Direction Of Use

Please read enclosed leaflet before use.

Precautions

1. Keep away from foodstuffs empty foodstuff containers and animal food.
2. The user should use appropriate protective clothing like hat, long shirt, long pant and shoes.
3. Avoid contact with eyes and skin while handling the product.
4. Avoid inhalation.
5. Do not drink, eat or smoke during application.
6. Remove contaminated clothes and wash before re-use.
7. Do not re-use empty containers.
8. Wash thoroughly the contaminated clothes & parts of the body with soap and water after work.

Antidote

No specific antidote. treat symptomatically.

First Aid

If splashed into eyes, wash with plenty of water. Remove contaminated clothing and wash affected parts with soap and water. If the chemical is inhaled, get the victim into fresh air. Apply artificial respiration in case of difficult to breathing. Do not give anything by mouth to unconscious persons. If person is conscious rinse the face with water. Do not induce vomiting. Allow the patient to consume 1-2 glass of water. Call the physician immediately.

Symptoms

Headache, dizziness, weakness, nausea, sore throat, chest pain, lightheadedness, sneezing, coughing and may cause irritation of skin mucous membranes.

Recommendations

CIR-172550/2020-Tebuconazole + Sulphur (WG) (416)-1330

Tebuconazole 10% + Sulphur 65% WG

Systemic and Contact Fungicide

खतरा
DANGER

Blue



Keep out of reach of children.

Keep in cool, dry place away from heat and open flame.

Regn. No. _____

Mfg. Lic. No. _____

Batch No. _____

Mfg Date _____

Exp. Date _____

Net Content / Volume _____

Max. Retail Price _____

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet

Tebuconazole 10% + Sulphur 65% wg (water dispersible granule) is a effective fungicide with protective, creative and eradivative action. It controls powdery mildew, fruit rot diseases of chilli and leaf spot, pod blight disease of soybean.

Manufactured by:

Classic Chemicals.
Survey No. 281, plot No. 1,2 and 3, Shapar Village Road,
At Shapar, Rajkot, Gujarat 360024

Manufacturer Premises:

Survey No. 281, plot No. 1,2 and 3, Shapar Village Road, At.
Shapar, Dist. Rajkot, (Guj)-360024

નું ટેબુકોનાઝોલ ૧૦% + સલ્ફર ૬૫% વગ (વોટર ડિસ્પર્સિબલ ગ્રેન્યુલ) એ અસરકારક ફંગસિડ સાથે રક્ષક, નિર્મૂલક અને નાશક ક્રિયા કરે છે. તે ચિલી અને પોડ બ્લાઇટ રોગોના નિયંત્રણમાં અસરકારક છે. તે ચિલી અને પોડ બ્લાઇટ રોગોના નિયંત્રણમાં અસરકારક છે. તે ચિલી અને પોડ બ્લાઇટ રોગોના નિયંત્રણમાં અસરકારક છે.

૫/૪ -
શપાર ગ્રામ પાલિકા, રાજકોટ, ગુજરાત ૩૬૦૦૨૪

૧૦૩ TM
શપાર ગ્રામ પાલિકા, રાજકોટ, ગુજરાત ૩૬૦૦૨૪

૨ TM
શપાર ગ્રામ પાલિકા, રાજકોટ, ગુજરાત ૩૬૦૦૨૪

Safety Pictograms:

Caution: Not to Be Used on Crops Other Than Specified on This Label/Leaflet